

L Number	Hits	Search Text	DB	Time stamp
16	41	borehole same hydraulic same fracture and sensor	USPAT; US-PGPUB	2004/08/05 18:58
17	11	cas\$3 same cement same sheath same formation and sensor same wellbore	USPAT; US-PGPUB	2004/08/05 18:58
18	87	hydraulic same fracture same orientation and wellbore	USPAT; US-PGPUB	2004/08/05 18:58
20	2	seismic same stress\$3 same fault\$3 and dip and (syncline or anticline) and map\$4	USPAT; US-PGPUB	2004/08/05 18:58
22	5	("4373197" "4562558" "4571710" "4692910" "4821242").PN.	USPAT	2004/08/05 18:59
23	1	perforate same case\$3 same well and hydraulic and fracture and orientation and (well or wellbore) and stress and sensor	USPAT; US-PGPUB	2004/08/05 18:59
24	30	166/250.01.ccls. and hydraulic same fracture	USPAT; US-PGPUB	2004/08/05 19:00
25	8	(166/250.1 or 73/152.48 or 166/250.14 or 166/250.01 or 166/250.07 or 73/152.05 or 166/373 or 166/65.1 or 166/66 or 166/66.6 or 166/242.1 or 166/297 or 166/308.1) and wellbore same casing same sealant	USPAT; US-PGPUB	2004/08/05 19:00
26	6	perforate and sensor same case\$3 and hydraulic and fracture and orientation and (well or wellbore) and stress and sensor	USPAT; US-PGPUB	2004/08/05 19:01
27	12	((economides same michael) or (deeg same wolfgang) or (valko same peter) or (nikolaou same michael) or (sankaran same sathish)).in.	USPAT; US-PGPUB	2004/08/05 19:07
28	0	20030150263.URPN.	USPAT	2004/08/05 19:07
19	2	seismic same stress\$3 same fault\$3 and dip and (syncline or anticline) and map\$4	USPAT; US-PGPUB	2004/08/05 19:11
21	7	fracture same orientation same wellbore and stress same sensor	USPAT; US-PGPUB	2004/08/05 19:19
29	12	("4044828" "4109717" "4529036" "4665984" "4783769" "4974675" "5070457" "5318123" "5360066" "5386875" "5482116" "6070666").pn.	USPAT; US-PGPUB	2004/08/05 19:21

	U	1	Document ID	Issue Date	Pages	Title	Current OR
1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6070666 A	20000606	7	Fracturing method for horizontal wells	166/308.1
2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5482116 A	19960109	11	Wellbore guided hydraulic fracturing	166/250.1
3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5386875 A	19950207	24	Method for controlling sand production of relatively unconsolidated formations	166/308.1
4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5360066 A	19941101	25	Method for controlling sand production of formations and for optimizing hydraulic fracturing through perforation	166/250.1
5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5318123 A	19940607	25	Method for optimizing hydraulic fracturing through control of perforation orientation	166/250.1
6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5070457 A	19911203	22	Methods for design and analysis of subterranean fractures using net pressures	702/12
7	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4974675 A	19901204	8	Method of fracturing horizontal wells	166/250.1
8	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4783769 A	19881108	22	Method of determining position and dimensions of a subsurface structure intersecting a wellbore in the	367/35
9	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4665984 A	19870519	15	Method of measuring crustal stress by hydraulic fracture based on analysis of crack growth in rock	166/250.1
10	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4529036 A	19850716	6	Method of determining subterranean formation fracture orientation	166/250.1
11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4109717 A	19780829	8	Method of determining the orientation of hydraulic fractures in the earth	166/250.1
12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 4044828 A	19770830	7	Process for direct measurement of the orientation of hydraulic fractures	73/783

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5
1	166/281; 166/50		Montgomery, Carl T.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	166/297; 166/308.1; 166/50		El-Rabaa, A. Wadood et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3			Venditto, James J. et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	166/308.1		Venditto, James J. et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	166/297; 166/308.1		Venditto, James J. et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	166/250.09		Poulsen, Don K.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	166/308.1; 166/50		Austin, Carl E. et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	367/86		Holzhausen, Gary R.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	166/308.1; 73/784		Hayashi, Kazuo et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	166/306; 166/308.1; 175/50; 175/58; 73/152.39		Daneshy, Abbas A. et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	73/152.13; 73/152.39		Cooke, Jr., Claude E.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	166/250.1; 166/308.1; 33/302; 73/784		Jones, Arfon Harry et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Image Doc. Displayed	PT
1	US 6070666	<input type="checkbox"/>
2	US 5482116	<input type="checkbox"/>
3	US 5386875	<input type="checkbox"/>
4	US 5360066	<input type="checkbox"/>
5	US 5318123	<input type="checkbox"/>
6	US 5070457	<input type="checkbox"/>
7	US 4974675	<input type="checkbox"/>
8	US 4783769	<input type="checkbox"/>
9	US 4665984	<input type="checkbox"/>
10	US 4529036	<input type="checkbox"/>
11	US 4109717	<input type="checkbox"/>
12	US 4044828	<input type="checkbox"/>

L Number	Hits	Search Text	DB	Time stamp
16	41	borehole same hydraulic same fracture and sensor	USPAT; US-PGPUB	2004/08/05 18:58
17	11	cas\$3 same cement same sheath same formation and sensor same wellbore	USPAT; US-PGPUB	2004/08/05 18:58
18	87	hydraulic same fracture same orientation and wellbore	USPAT; US-PGPUB	2004/08/05 18:58
19	2	seismic same stress\$3 same fault\$3 and dip and (syncline or anticline) and map\$4	USPAT; US-PGPUB	2004/08/05 18:58
20	2	seismic same stress\$3 same fault\$3 and dip and (syncline or anticline) and map\$4	USPAT; US-PGPUB	2004/08/05 18:58
21	7	fracture same orientation same wellbore and stress same sensor	USPAT; US-PGPUB	2004/08/05 18:59
22	5	("4373197" "4562558" "4571710" "4692910" "4821242").PN.	USPAT	2004/08/05 18:59
23	1	perforate same case\$3 same well and hydraulic and fracture and orientation and (well or wellbore) and stress and sensor	USPAT; US-PGPUB	2004/08/05 18:59
24	30	166/250.01.ccls. and hydraulic same fracture	USPAT; US-PGPUB	2004/08/05 19:00
25	8	(166/250.1 or 73/152.48 or 166/250.14 or 166/250.01 or 166/250.07 or 73/152.05 or 166/373 or 166/65.1 or 166/66 or 166/66.6 or 166/242.1 or 166/297 or 166/308.1) and wellbore same casing same sealant	USPAT; US-PGPUB	2004/08/05 19:00
26	6	perforate and sensor same case\$3 and hydraulic and fracture and orientation and (well or wellbore) and stress and sensor	USPAT; US-PGPUB	2004/08/05 19:01
27	12	((economides same michael) or (deeg same wolfgang) or (valko same peter) or (nikolaou same michael) or (sankaran same sathish)).in.	USPAT; US-PGPUB	2004/08/05 19:07
28	0	20030150263.URPN.	USPAT	2004/08/05 19:07

L Number	Hits	Search Text	DB	Time stamp
16	41	borehole same hydraulic same fracture and sensor	USPAT; US-PGPUB	2004/08/05 18:58
17	11	cas\$3 same cement same sheath same formation and sensor same wellbore	USPAT; US-PGPUB	2004/08/05 18:58
18	87	hydraulic same fracture same orientation and wellbore	USPAT; US-PGPUB	2004/08/05 18:58
19	2	seismic same stress\$3 same fault\$3 and dip and (syncline or anticline) and map\$4	USPAT; US-PGPUB	2004/08/05 18:58
20	2	seismic same stress\$3 same fault\$3 and dip and (syncline or anticline) and map\$4	USPAT; US-PGPUB	2004/08/05 18:58
21	7	fracture same orientation same wellbore and stress same sensor	USPAT; US-PGPUB	2004/08/05 18:59
22	5	("4373197" "4562558" "4571710" "4692910" "4821242").PN.	USPAT	2004/08/05 18:59
23	1	perforate same case\$3 same well and hydraulic and fracture and orientation and (well or wellbore) and stress and sensor	USPAT; US-PGPUB	2004/08/05 18:59
24	30	166/250.01.ccls. and hydraulic same fracture	USPAT; US-PGPUB	2004/08/05 19:00
25	8	(166/250.1 or 73/152.48 or 166/250.14 or 166/250.01 or 166/250.07 or 73/152.05 or 166/373 or 166/65.1 or 166/66 or 166/66.6 or 166/242.1 or 166/297 or 166/308.1) and wellbore same casing same sealant	USPAT; US-PGPUB	2004/08/05 19:00
26	6	perforate and sensor same case\$3 and hydraulic and fracture and orientation and (well or wellbore) and stress and sensor	USPAT; US-PGPUB	2004/08/05 19:00
-	40	borehole same hydraulic same fracture and sensor	USPAT; US-PGPUB	2004/08/05 18:58
-	142	(borehole or wellbore or (bore same well) or (bore same hole)) same hydraulic same fracture and sensor	USPAT; US-PGPUB	2004/06/14 16:13
-	134	(borehole or wellbore or (bore same well or well same bore) or (bore same hole or hole same bore)) same hydraulic same fracture and sensor and cas\$3	USPAT; US-PGPUB	2004/06/14 16:14
-	21	(borehole or wellbore or (bore same well or well same bore) or (bore same hole or hole same bore)) same hydraulic same fracture and sensor and cas\$3 and analyzer and pressure	USPAT; US-PGPUB	2004/06/14 16:23
-	10	cas\$3 same cement same sheath same formation and sensor same wellbore	USPAT; US-PGPUB	2004/06/14 17:16
-	87	hydraulic same fracture same orientation and wellbore	USPAT; US-PGPUB	2004/08/05 18:58
-	7	hydraulic same fracture same orientation and wellbore and perturbation	USPAT; US-PGPUB	2004/06/14 16:31
-	5	("4372380" "4393933" "4458245" "4779200" "4783769").PN.	USPAT	2004/06/14 16:41
-	5	("3739871" "3743017" "3917345" "4005750" "4044828").PN.	USPAT	2004/06/14 17:16
-	499	cas\$3 same cement same sheath same formation	USPAT; US-PGPUB	2004/06/14 17:09
-	142	(borehole or wellbore or (bore same well or well same bore) or (bore same hole or hole same bore)) same hydraulic same fracture and sensor	USPAT; US-PGPUB	2004/06/14 17:09
-	10	cas\$3 same cement same sheath same formation and sensor same wellbore	USPAT; US-PGPUB	2004/08/05 18:58
-	5	("3739871" "3743017" "3917345" "4005750" "4044828").PN.	USPAT	2004/06/14 17:17

-	50	("5492175" "4830106" "4834181" "4953137" "4421167" "4869322" "4899320" "5838633" "4476932" "6101447" "4529036" "4977961" "5261489" "5273115" "5295539" "5799734" "6102122" "6114410" "6138752" "6176313" "6328105" "6439309" "4314883" "4366198" "4804641" "4823893" "5322823" "5422183" "5597784" "5763008" "5984314" "6082738" "6016377" "5272916" "4516419" "4802144" "5431225" "5547023" "6391422" "5792485" "4608966" "4488599" "4567774" "4600479" "5714687" "5929315" "6041656" "6062083" "6173613" "6360608").pn.	USPAT; US-PGPUB	2004/06/15 12:14
---	----	--	--------------------	------------------

-	1	("5492175" "4830106" "4834181" "4953137" "4421167" "4869322" "4899320" "5838633" "4476932" "6101447" "4529036" "4977961" "5261489" "5273115" "5295539" "5799734" "6102122" "6114410" "6138752" "6176313" "6328105" "6439309" "4314883" "4366198" "4804641" "4823893" "5322823" "5422183" "5597784" "5763008" "5984314" "6082738" "6016377" "5272916" "4516419" "4802144" "5431225" "5547023" "6391422" "5792485" "4608966" "4488599" "4567774" "4600479" "5714687" "5929315" "6041656" "6062083" "6173613" "6360608").pn. and hydraulic same fracture and orientation and wellbore and perturbation	USPAT; US-PGPUB	2004/06/15 12:29
---	---	---	--------------------	------------------

	50	("5492175" "4830106" "4834181" "4953137" "4421167" "4869322" "4899320" "5838633" "4476932" "6101447" "4529036" "4977961" "5261489" "5273115" "5295539" "5799734" "6102122" "6114410" "6138752" "6176313" "6328105" "6439309" "4314883" "4366198" "4804641" "4823893" "5322823" "5422183" "5597784" "5763008" "5984314" "6082738" "6016377" "5272916" "4516419" "4802144" "5431225" "5547023" "6391422" "5792485" "4608966" "4488599" "4567774" "4600479" "5714687" "5929315" "6041656" "6062083" "6173613" "6360608").pn.("5492175" "4830106" "4834181" "4953137" "4421167" "4869322" "4899320" "5838633" "4476932" "6101447" "4529036" "4977961" "5261489" "5273115" "5295539" "5799734" "6114410" "6138752" "6176313"	USPAT; US-PGPUB	2004/06/15 12:55
Search History	8/5/04 7:06:12	Page 4		
C:\APPS\EA\ST\Workspaces\10071880-Borehole-Stress-Sability-Hydraulic-Fracture.wsp				

-	2	seabed same subsidence and fault	USPAT; US-PGPUB	2004/06/15 16:40
-	2	seismic same stress\$3 same fault\$3 and dip and (syncline or anticline) and map\$4	USPAT; US-PGPUB	2004/06/15 16:46
-	5	("4373197" "4562558" "4571710" "4692910" "4821242").PN.	USPAT	2004/08/05 18:59
-	5	("4373197" "4562558" "4571710" "4692910" "4821242").PN.	USPAT	2004/06/15 16:49
-	0	("4373197" "4562558" "4571710" "4692910" "4821242").PN. and seismic and stress\$3 and fault\$3	USPAT	2004/06/15 16:50
-	1	("4373197" "4562558" "4571710" "4692910" "4821242").PN. and seismic and fault\$3	USPAT	2004/06/15 16:50
-	4	("4458205" "4558437" "4577297" "4611312").PN.	USPAT	2004/06/15 16:52
-	4	("4458205" "4558437" "4577297" "4611312").PN.	USPAT	2004/06/15 16:52

-	1	("5492175" "4830106" "4834181" "4953137" "4421167" "4869322" "4899320" "5838633" "4476932" "6101447" "4529036" "4977961" "5261489" "5273115" "5295539" "5799734" "6102122" "6114410" "6138752" "6176313" "6328105" "6439309" "4314883" "4366198" "4804641" "4823893" "5322823" "5422183" "5597784" "5763008" "5984314" "6082738" "6016377" "5272916" "4516419" "4802144" "5431225" "5547023" "6391422" "5792485" "4608966" "4488599" "4567774" "4600479" "5714687" "5929315" "6041656" "6062083" "6173613" "6360608").pn. and hydraulic and fracture and orientation and wellbore and perturbation	USPAT; US-PGPUB	2004/06/18 18:11
-	2	seismic same stress\$3 same fault\$3 and dip and (syncline or anticline) and map\$4	USPAT; US-PGPUB	2004/08/05 18:58
-	84	fracture same orientation same wellbore	USPAT; US-PGPUB	2004/06/18 17:05
-	7	fracture same orientation same wellbore and stress same sensor	USPAT; US-PGPUB	2004/08/05 18:59
-	0	perforate same case\$3 same well and hydraulic same fracture and orientation and (well or wellbore) and stress same sensor	USPAT; US-PGPUB	2004/06/18 17:33
-	0	perforate same case\$3 same well and hydraulic same fracture and orientation and (well or wellbore) and stress and sensor	USPAT; US-PGPUB	2004/06/18 17:33

-	1	perforate same case\$3 same well and hydraulic and fracture and orientation and (well or wellbore) and stress and sensor	USPAT; US-PGPUB	2004/08/05 18:59
-	16	perforate same case\$3 and well and hydraulic and fracture and orientation and (well or wellbore) and stress and sensor	USPAT; US-PGPUB	2004/06/18 17:34
-	16	perforate same case\$3 and hydraulic and fracture and orientation and (well or wellbore) and stress and sensor	USPAT; US-PGPUB	2004/06/18 17:36
-	6	perforate and sensor same case\$3 and hydraulic and fracture and orientation and (well or wellbore) and stress and sensor	USPAT; US-PGPUB	2004/08/05 19:00
-	3	perforate and sensor same case\$3 and hydraulic and fracture same orientation and (well or wellbore) and stress and sensor	USPAT; US-PGPUB	2004/06/18 17:41
-	699	borehole and casing same sensor	USPAT; US-PGPUB	2004/06/18 17:42
-	339	borehole same casing same sensor	USPAT; US-PGPUB	2004/06/18 17:42
-	2	borehole same casing same sensor and stress\$3 with pressure same perturbation	USPAT; US-PGPUB	2004/06/18 17:43
-	1	borehole same casing same sensor and stress\$3 adj pressure same perturbation	USPAT; US-PGPUB	2004/06/18 17:44
-	2	borehole same casing same sensor and stress\$3 same pressure same perturbation	USPAT; US-PGPUB	2004/06/18 17:48
-	1	borehole same casing same sensor and stress\$3 same profile same analyzer	USPAT; US-PGPUB	2004/06/18 17:49
-	13	sensor and stress\$3 same profile same analyzer	USPAT; US-PGPUB	2004/06/18 17:50
-	3	case\$4 same embedded same sensor same borehole	USPAT; US-PGPUB	2004/06/18 17:56
-	18	("Re27459" "3363457" "3454094" "3480079" "3709032" "3745822" "3795142" "3913398" "3954140" "4109717" "4120199" "4185691" "4279299" "4344484" "4393933" "4520666" "4559818" "4676664").PN.	USPAT	2004/06/18 17:52
-	9	sensor same embedded same casing same borehole	USPAT; US-PGPUB	2004/06/18 17:57
-	163	sensor same in same casing same borehole	USPAT; US-PGPUB	2004/06/18 17:58
-	7	("3909776" "4271696" "4353244" "4432078" "4458245" "4531403" "4671379").PN.	USPAT	2004/06/18 18:05

-	21	("5492175" "4830106" "4834181" "4953137" "4421167" "4869322" "4899320" "5838633" "4476932" "6101447" "4529036" "4977961" "5261489" "5273115" "5295539" "5799734" "6102122" "6114410" "6138752" "6176313" "6328105" "6439309" "4314883" "4366198" "4804641" "4823893" "5322823" "5422183" "5597784" "5763008" "5984314" "6082738" "6016377" "5272916" "4516419" "4802144" "5431225" "5547023" "6391422" "5792485" "4608966" "4488599" "4567774" "4600479" "5714687" "5929315" "6041656" "6062083" "6173613" "6360608").pn. and hydraulic same fracture and wellbore	USPAT; US-PGPUB	2004/06/18 18:10
---	----	---	--------------------	------------------

-	117	("5492175" "4830106" "4834181" "4953137" "4421167" "4869322" "4899320" "5838633" "4476932" "6101447" "4529036" "4977961" "5261489" "5273115" "5295539" "5799734" "6102122" "6114410" "6138752" "6176313" "6328105" "6439309" "4314883" "4366198" "4804641" "4823893" "5322823" "5422183" "5597784" "5763008" "5984314" "6082738" "6016377" "5272916" "4516419" "4802144" "5431225" "5547023" "6391422" "5792485" "4608966" "4488599" "4567774" "4600479" "5714687" "5929315" "6041656" "6062083" "6173613" "6360608").pn. casing same sensor and hydraulic same fracture and wellbore	USPAT; US-PGPUB	2004/06/18 18:10
---	-----	--	--------------------	------------------

-	1	("5492175" "4830106" "4834181" "4953137" "4421167" "4869322" "4899320" "5838633" "4476932" "6101447" "4529036" "4977961" "5261489" "5273115" "5295539" "5799734" "6102122" "6114410" "6138752" "6176313" "6328105" "6439309" "4314883" "4366198" "4804641" "4823893" "5322823" "5422183" "5597784" "5763008" "5984314" "6082738" "6016377" "5272916" "4516419" "4802144" "5431225" "5547023" "6391422" "5792485" "4608966" "4488599" "4567774" "4600479" "5714687" "5929315" "6041656" "6062083" "6173613" "6360608").pn. and casing same sensor and hydraulic same fracture and wellbore	USPAT; US-PGPUB	2004/06/18 18:12
-	7	casing same wellbore same stress same sensor and analyzer	USPAT; US-PGPUB	2004/06/18 18:19
-	12	((michael same economides) or (wolfgang same deeg) or (peter same valko) or (michael same nikolaou) or (sathish same sankaran)).in.	USPAT; US-PGPUB	2004/06/18 18:30
-	101	166/250.1.ccls.	USPAT; US-PGPUB	2004/06/18 18:30
-	13	166/250.1.ccls. and casing with sensor	USPAT; US-PGPUB	2004/06/18 18:31
-	0	perforate same case\$3 same well and hydraulic same fracture and orientation and (well or wellbore) and stress same sensor	USPAT; US-PGPUB	2004/06/20 15:37

-	1478	contact same stress same sensor	USPAT; US-PGPUB	2004/06/20 15:37
-	1128	contact same stress same sensor and (well or wellbore)	USPAT; US-PGPUB	2004/06/20 15:38
-	182	contact same stress same sensor same (well or wellbore)	USPAT; US-PGPUB	2004/06/20 15:38
-	16	contact same stress same sensor same (well or wellbore) and casing	USPAT; US-PGPUB	2004/06/20 16:46
-	7	contact same stress same sensor same within same casing same (well or wellbore) and casing	USPAT; US-PGPUB	2004/06/21 16:36
-	76	contact same sensor same within same casing same (well or wellbore)	USPAT; US-PGPUB	2004/06/20 17:19
-	1	contact same sensor same within same casing same (well or wellbore) and stress and analyzer	USPAT; US-PGPUB	2004/06/20 17:19
-	1	sensor same within same casing same (well or wellbore) and stress same analyzer	USPAT; US-PGPUB	2004/06/20 17:20
-	3	sensor same within same casing and (well or wellbore) and stress same analyzer	USPAT; US-PGPUB	2004/06/20 17:22
-	1	pressure same perturbation and sensor same casing and (well or wellbore) and stress same analyzer	USPAT; US-PGPUB	2004/06/20 17:22
-	1	pressure and perturbation and sensor same casing and (well or wellbore) and stress same analyzer	USPAT; US-PGPUB	2004/06/20 17:23
-	3	pressure and perturbation and sensor and casing and (well or wellbore) and stress same analyzer	USPAT; US-PGPUB	2004/06/20 17:23
-	4	(well or wellbore) same casing same sensor and stress same analyzer	USPAT; US-PGPUB	2004/06/20 17:24
-	10	("2223408" "2975225" "3204460" "3321973" "3467542" "3589979" "3745828" "4015657" "4175438" "4396792").PN.	USPAT	2004/06/20 17:26
-	17	casing same wellbore same stress same sensor	USPAT; US-PGPUB	2004/06/21 16:18
-	139	hydraulic same fracture same orientation	USPAT; US-PGPUB	2004/06/21 16:35
-	170	casing same sensor same cement	USPAT; US-PGPUB	2004/06/21 16:37
-	4	casing same sensor same cement and wellbore and analyzer	USPAT; US-PGPUB	2004/06/21 16:38
-	4	cement same casing same sensor and wellbore and analyzer	USPAT; US-PGPUB	2004/06/21 16:39
-	4	cement with casing same sensor and wellbore and analyzer	USPAT; US-PGPUB	2004/06/21 16:39
-	3	cement with casing with sensor and wellbore and analyzer	USPAT; US-PGPUB	2004/06/21 16:39
-	88	casing same sensor same cement and wellbore	USPAT; US-PGPUB	2004/06/22 15:34
-	434	166/250.01.ccls.	USPAT; US-PGPUB	2004/06/22 15:34
-	0	166/250.01.ccls. and stress same profile same system	USPAT; US-PGPUB	2004/06/22 15:35
-	5	166/250.01.ccls. and stress same profile	USPAT; US-PGPUB	2004/06/22 15:38
-	29	166/250.01.ccls. and hydraulic same fracture	USPAT; US-PGPUB	2004/08/05 19:00
-	1	166/250.01.ccls. and casing same sealant	USPAT; US-PGPUB	2004/06/22 15:42
-	0	166/250.01.ccls. and bond\$3 same casing same sealant	USPAT; US-PGPUB	2004/06/22 15:43
-	0	166/250.ccls. and bond\$3 same casing same sealant	USPAT; US-PGPUB	2004/06/22 15:43
-	0	166/66.ccls. and bond\$3 same casing same sealant	USPAT; US-PGPUB	2004/06/22 15:43
-	15	wellbore and bond\$3 same casing same sealant	USPAT; US-PGPUB	2004/06/22 16:03

-	3	(166/250.1 or 73/152.48 or 166/250.14 or 166/250.01 or 166/250.07 or 73/152.05 or 166/373 or 166/65.1 or 166/66 or 166/66.6 or 166/242.1 or 166/297 or 166/308.1) and wellbore and bond\$3 same casing same sealant	USPAT; US-PGPUB	2004/06/22 16:07
-	6	(166/250.1 or 73/152.48 or 166/250.14 or 166/250.01 or 166/250.07 or 73/152.05 or 166/373 or 166/65.1 or 166/66 or 166/66.6 or 166/242.1 or 166/297 or 166/308.1) and wellbore same casing same sealant	USPAT; US-PGPUB	2004/08/05 19:00

	U	1	Document ID	Issue Date	Pages	Title	Current OR
1	<input type="checkbox"/>	<input type="checkbox"/>	US 20040006430 A1	20040108	39	Seismic monitoring and control method	702/14
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030150263 A1	20030814	49	System and method for stress and stability related measurements in boreholes	73/152.48
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030075361 A1	20030424	48	Well system	175/61
4	<input type="checkbox"/>	<input type="checkbox"/>	US RE37867 E	20021008	50	Downhole equipment, tools and assembly procedures for the drilling, tie-in and completion of vertical cased oil wells connected to liner-equipped multiple drainholes	166/380
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5517854 A	19960521	48	Methods and apparatus for borehole measurement of formation stress	73/152.59
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5353637 A	19941011	53	Methods and apparatus for borehole measurement of formation stress	73/152.17

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5
1			Harmon, Jerald L. et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	166/250.1; 166/250.14; 166/253.1		Economides, Michael J. et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	175/171; 175/62		Terry, James B. et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	166/117.6; 166/242.1; 166/50; 175/61		Gondouin, Michel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	73/784		Plumb, Richard A. et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	166/101; 166/250.1; 166/264; 166/308.1; 73/152.39		Plumb, Richard A. et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Image Doc. Displayed	PT
1	US 20040006430	<input type="checkbox"/>
2	US 20030150263	<input type="checkbox"/>
3	US 20030075361	<input type="checkbox"/>
4	US RE37867	<input type="checkbox"/>
5	US 5517854	<input type="checkbox"/>
6	US 5353637	<input type="checkbox"/>